

Product Specification

Metropole 2

Track & Spots
High Output Spotlight

Track & Spots High Output Spotlight

Performance

Up to 5000 lumens, +/-90° Tilt, 355° Rotation

Size



The Metropole 2 is a fully adjustable, high-output, track mounted spotlight. Delivering up to 5000 lumens, the luminaire provides a more flexible alternative to metal halide. The luminaire offers a choice of outputs, beam angles, colour fidelity options and accessories, making it ideal for retail and merchandising applications.




Options

Output

700lm | 1000lm | 1300lm | 2000lm | 3000lm | 4000lm | 5000lm

Colour Temperature




Colour Fidelity

80+ | 98 | Vibrancy 80 | Vibrancy 98 | Designer | Beauty

Beam Angle



Colour



Accessories



Product Builder

		Lumen Output
	(07)	700lm
	(10)	1000lm
	(13)	1300lm
	(20)	2000lm
	(30)	3000lm
	(40)	4000lm
	(50)	5000lm
		Colour Temperature
	(22)	2200k
	(27)	2700k
	(30)	3000k
	(35)	3500k
	(40)	4000k
		Colour Fidelity
	(80)	CRI 80+
	(98)	CRI 98
	(V8)	Vibrancy 80
	(V9)	Vibrancy 98
	(90)	Designer Series
	(BT)	Beauty Series
		Beam Angle
	(S)	Spot 10°
	(N)	Narrow 20°
	(M)	Medium 40°
		Colour
	(W)	White
	(B)	Black
	(P)	Custom Colour
ML	/**/**	
Control	Accessories	
/DD DALI	/DL Leading Edge	/HL Honeycomb Louvre
/DP DALI Pro	/DX DMX	/BD Barn Doors
/DA Analogue (1-10v)	/BX Bluetooth Xicato	
/AP Analogue Pro	/BC Bluetooth Casambi	
/DT Trailing Edge	/RD Rotary Dimmer	

Product Options

Metropole 2

Track & Spots High Output Spotlight

Colour Fidelity	CRI80+ Vibrancy 80 ¹								CRI98 Vibrancy 98 ²								Designer Series						Beauty Series				
	500lm	700lm	1000lm	1300lm	2000lm	3000lm	4000lm	5000lm	500lm	700lm	1000lm	1300lm	2000lm	3000lm	4000lm	500lm	700lm	1000lm	1300lm	2000lm	3000lm	4000lm	500lm	700lm	1000lm	1300lm	2000lm
Lumen Output																											
Colour Temperature																											
2200k ³	-	-	-	-	-	-	-	-	-	●	●	●	●	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2700k	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
3000k	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
3500k	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
4000k	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
Beam Angle																											
Spot 10°	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
Narrow 20°	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
Medium 40°	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
Colour																											
White	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
Black	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
Custom Colour	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
Control																											
Standard	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
DALI	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
DALI Pro	-	●	●	●	●	●	●	-	-	●	●	●	●	-	-	●	●	●	●	-	-	●	●	●	●		
Analogue (1-10v)	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
Analogue Pro (0.1-10v)	-	●	●	●	●	●	●	-	-	●	●	●	●	-	-	●	●	●	●	-	-	●	●	●	●		
Trailing Edge	-	●	●	●	●	●	-	-	-	●	●	●	●	-	-	●	●	●	●	-	-	●	●	●	-		
Leading Edge	-	●	●	●	●	●	-	-	-	●	●	●	●	-	-	●	●	●	●	-	-	●	●	●	-		
Bluetooth Xicato	-	●	●	●	●	●	●	●	-	●	●	●	●	●	-	●	●	●	●	●	-	●	●	●	●		
Bluetooth Casambi	-	●	●	●	●	●	●	●	-	●	●	●	●	●	-	●	●	●	●	●	-	●	●	●	●		
Rotary Dimmer	-	●	●	●	●	●	●	●	-	●	●	●	●	●	-	●	●	●	●	●	-	●	●	●	●		
Accessories																											
Honeycomb Louvre	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●
Barn Doors	-	●	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●	●	●	-	●	●	●	●

Notes:
¹ Vibrancy 80 only available in 3000k.
² Vibrancy 98 only available in 3000k.
³ 2200k available in CRI98 (Artist Series) only.



Key	
●	Option Available
-	Option not available

Product Dimensions

Metropole 2

Track & Spots
High Output Spotlight

Dimensions



Lumenpulse Alphaled are constantly developing and improving our product range. All descriptions, illustrations, drawings and specifications in this catalogue are present and correct, they perform only general particulars and shall not form any part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of sale, a copy of which is available on request.